




Public Works Department
 515 Clark Avenue, Ames, Iowa 50010
 Phone 515-239-5160
 Fax 515-239-5404

March 21, 2008

Honorable Mayor and Council Members
 City of Ames
 Ames, Iowa 50010



Ladies and Gentlemen:

I hereby certify that the utilities and asphalt base paving required as a condition for approval of the final plat of **Dayton Park, 5th Addition** have been completed in an acceptable manner by McAninch and Manatt's. The above mentioned improvements have been inspected by the Engineering Division of the Public Works Department of the City of Ames, Iowa and found to meet city specifications and standards.

As a result of this certification, it is recommended that the financial security for public improvements on file with the City for this subdivision be reduced to \$30,000.00. The remaining work that covers this financial security includes asphalt surface paving, lighting and the Construction Site Erosion and Sediment Control Ordinance Bond.

Sincerely,

John Joiner, P.E.
 Public Works Director
 City of Ames

EC/ec

cc: Finance, Contractor, PW Admin Asst, Construction Supervisor, PW Senior Clerk,
 Planning & Housing

Dayton Park, 5th Addition
 March 21, 2008

Description	Unit	Quantity
Inlet Protection	EA	4
8-inch Sanitary Sewer	LF	323
10-inch Sanitary Sewer	LF	382
48-inch Dia. Sanitary Manhole	EA	2
6-inch Sanitary Service	EA	4
8-inch Water Main	LF	699
8-inch M.J. Gate Valve	EA	1
Hydrant and Hydrant Run (includes 8"x8"x6" M.J. Tee, 6" M.J. Gate Valve, 6" Pipe and Hydrant)	EA	2
Temporary Blowoff Hydrant (Remove and Reuse 8"x6" Reducer 6" Pipe and Hydrant)	EA	1
6-inch Water Service	EA	4
15-inch RCP, Class III	LF	10
18-inch RCP, Class III	LF	28
24-inch RCP, Class III	LF	367
30-inch RCP, Class III	LF	238
15-inch F.E.S., Class III	EA	1
30-inch F.E.S., Class III	EA	1
Storm Sewer Intake (M-A)	EA	1
Storm Sewer Intake (M-C)	EA	1
Storm Sewer Intake (M-D)	EA	1
Storm Sewer Intake (M-E)	EA	1
Storm Sewer Manhole (Sanitary Type A)	EA	1
Minor Manhole Adjustment	EA	1
18-inch RCP Removal	LF	33
12-inch RCP Removal	LF	32
Subgrade Preparation	SY	3,280
30-inch P.C.C. Curb and Gutter	LF	1,267
7-inch H.M.A. Pavement	SY	410
9-inch H.M.A. Pavement	SY	2,175
Rock Outlet Protection (Class 'D' Revetment Stone)	TON	60
Seeding, Type 4 Urban Temporary Erosion Control Mixture	ACRE	2
Erosion Control Mulch	ACRE	2