

COUNCIL ACTION FORM

SUBJECT: RENEWAL OF CONTRACT FOR SPECIALIZED CLEANING SERVICES, INCLUDING GRIT BLASTING, HYDRO BLASTING, DETONATION BLASTING, AND VAC TRUCK SERVICES FOR THE POWER PLANT FOR FY 2012/2013

BACKGROUND:

The City of Ames Electric Utility has two coal-fired, high-pressure steam generation units within the City of Ames Power Plant, referred to as Unit No. 7 and Unit No. 8. These units require regular professional maintenance and repair. This consists of emergency service, as well as regularly scheduled planned repairs. The repair of the boilers on these generation units requires professional trade crafts such as boilermakers; steam/pipe fitters; and millwrights, to list a few.

The boiler units operate under environmental conditions with high heat and high pressure. Due to the operational conditions and fuel burned, the internal surfaces of the boilers are often covered with hardened ash, molten glass, and other substances, which coat the internal boiler tubes, and boiler walls. Because of the conditions resulting from burning the Refuse Derived Fuel (RDF), a reducing atmosphere exists in portions of the boiler, and there are chlorides present (which come from burning plastics). As a result, parts of the boiler units will fail due to tube wasting. (Examples include superheat tubes and boiler wall tubes)

When tube failures occur, the City contracts with private firms who have the expertise to perform the emergency repairs needed to bring the unit(s) back into operation. Prior to the professional crafts entering the boilers to carryout inspections and repairs, the surfaces must be cleaned of ash coating and debris. This cleaning process requires high-pressure water washing, grit blasting, or use of explosives to loosen and remove the materials. After loosening or breaking up these substances, they are removed from the boiler using the sluice system or by large industrial vacuums.

On June 23, 2009, City Council awarded a contract to W-S Industrial Services, Inc., Council Bluffs, Iowa, for a number of specialized cleaning services, including grit blasting, hydro blasting, detonation blasting, and vac truck services to be furnished as requested from July 1, 2009, through June 30, 2010. The contract was in an amount not-to-exceed \$231,000. City Council should note that the City also has a contract for similar services with Bodine Services of Clinton, also on this Council agenda for renewal. It is important to point out that W-S Industrial and Bodine do not provide the City with the same services.

The original contract has the option for the City to renew in one-year increments for up to five additional years. **Council should note that the hourly rates which will be charged by W-S Industrial will be unchanged for next year. Council should also note that this is the third renewal out of five maximum.**

The FY 2012/2013 operating budget for Electric Production includes \$156,000 for boiler cleaning services to be performed under this contract. **Payments would be calculated on unit prices bid and actual work performed, up to the available budget amount.**

ALTERNATIVES:

1. Approve the contract renewal with W-S Industrial Services, Inc., Council Bluffs, Iowa, for a specialized cleaning services contract, including grit blasting, hydro blasting, detonation blasting, and vac truck services, for the one-year period from July 1, 2012, through June 30, 2013, and approve contract and bond. Actual payments will be based on unit prices bid and actual work performed in an amount not-to-exceed \$156,000.
2. Do not renew the agreement and instruct staff to seek new competitive bids.

MANAGER'S RECOMMENDED ACTION:

This work is necessary to properly maintain Unit No. 7 and Unit No. 8 and to carry out emergency and scheduled repairs resulting from equipment failures. This contract allows the Power Plant to have reliable contractors available to perform these specialized cleaning services on very short notice in the event of an emergency repair. This contract also allows the Power Plant to control the costs of these services to the extent possible. Therefore, it is the recommendation of the City Manager that the City Council adopt Alternative No. 1 as stated above.