



NATIONAL FLOOD INSURANCE PROGRAM

STORY COUNTY, IOWA

Flood Study Review (FSR) Meeting
for the Physical Map Revision (PMR)

July 31, 2012



Meeting Agenda

- NFIP & Map Modernization
- Mapping Project Overview
- Determining Your Flood Risks
- Specific Streams
- Comparison Maps
- Where to from here
- Questions and Breakout Sessions





Welcome & Introduction

- FEMA – Region VII
 - Bob Franke – Regional Project Officer
 - Todd Tucker – CCO Coordinator Specialist Mitigation
- Cooperating Technical Partner - CTP
 - Scott Ralston – State Floodplain Mapping Coordinator
- AMEC Environment and Infrastructure (Mapping Contractor)
 - Stephen Noe – Program Manager
 - Alicia Williams – Assistant Project Manager



What is the NFIP?

The NFIP is a Federal program enabling property owners in participating communities to purchase insurance protection against losses from flooding.

Participation in the NFIP is voluntary based on an agreement between local communities and the federal government that states if a community will **adopt and enforce a floodplain management ordinance** to reduce future flood risks to new construction, the federal government will make flood insurance available within the community.



NFIP Goals

- Reduce the loss of life and property caused by flooding
- Reduce rising disaster relief costs caused by flooding
- Short range goal is to provide flood insurance
- Long range goal is encourage wise use of the flood hazard areas. floodplain





Accomplishing NFIP Goals

- Publish maps - **identify** risk
- **Educate** the public on their own risk
- Provide federally-backed flood **insurance** coverage
- **Encourage** development away from flood prone areas






Risk MAP Program

- Flood Maps support the National Flood Insurance Program
- 5-Year Congressionally mandated program to modernize FEMA's inventory of flood maps (2003-2008)
- New digital format improved accuracy, made maps easier to use and readily available.
- Current Maps Effective for Story County 2/20/2008
- Flood hazard information is available in GIS format




Physical Map Revision (PMR)

1. Existing DFIRM Countywide
 - Database and Effective Panels
2. Select Streams Needing Improving
3. Area covers more than one stream but multiple panels
4. Funding to perform PMR



Entering this Phase





Why this PMR?

- FEMA, IDNR and local officials met and discussed needs at 5 specific locations across the state.
- Needs were identified, prioritized and funded.
- Asset impacts, leverage data and fiscal year funding prioritized projects.
- North River and Middle Creek were identified, scoped and funded on this Story County PMR.



Tasks of this PMR

- Surveying – bridges, culverts and other critical hydrology and hydraulic structures
- Hydrology – rainfall/runoff and/or gage analysis to incorporate stream specific characteristics
- Hydraulics – use of LiDAR to geometrically shape channels and surveyed conveyance structures for improved accuracy
- Floodplains/floodways - topographically correct floodplains and optimized floodways






Tasks of this PMR - continued

- Flood study review meeting (FSR)
- DFIRM database – updated the existing countywide database to include the PMR data
- Panel Production – produce new/updated panels and update the FIS
- Produce Preliminary Map Products – distribute panels to communities for review (February 13, 2013)
- CCO Meeting – one month after Distribution of panels



Tasks of this PMR - continued

- Federal Register Publication must post the limits of change in the Federal Register and local paper(s)
- Appeals Period – 90 days
- Appeal Resolution – 30-45 days
- Letter of Final Determination – marks the date that begins the map adoption period – 6 months to effective date
- Effective maps – estimated June 2014 – ordinance needs to be adopted before the effective date



Zone AE



Detailed Studies for this PMR - College Creek and Worle Creek

- New Hydrology and Hydraulics
- Mandatory flood insurance in the 1% areas
- No mandatory flood insurance purchase requirements in the 0.2% areas



Rainfall Depths for Story County

Rainfall depths in inches	
Frequency (years)	24 (Hr)
1	2.38
2	2.91
5	3.64
10	4.27
25	5.15
50	5.87
100	6.61
200	7.1
500	8.0



FIS Comparison for College Creek

Table 7. FIS Comparison Summary for College Creek

CC-JCT-7 (At mouth; HMS contributing area=3.42 sq mi, FIS=3.3 sq mi.)							
Return Interval	HEC-HMS	USGS Regression (Lara)	Difference	FIS	Difference	USGS Regression (Eash)	Difference
(yrs)	(cfs)	(cfs)	(%)	(cfs)	(%)	(cfs)	(%)
10	760	230	230	880	-14	1,280	-41
25	1,210	330	267	NA	NA	1,920	-37
50	1,605	400	300	1,380	16	2,420	-34
100	2,035	500	307	1,600	27	2,980	-32
500	3,000	NA	NA	2,100	43	4,480	-33



Table 8. FIS Comparison Summary for Worle Creek

WOR10300J (At City of Ames Corporate Limit; HMS contributing area=12.0 sq mi, FIS=11.9 sq mi.)							
Return Interval	HEC-HMS	USGS Regression (Lara)	Difference	FIS	Difference	USGS Regression (Eash)	Difference
(yrs)	(cfs)	(cfs)	(%)	(cfs)	(%)	(cfs)	(%)
10	1,450	560	159	2,470	-41	2,310	-37
25	2,020	780	159	NA	NA	3,350	-40
50	2,510	930	170	3,780	-34	4,160	-40
100	3,030	1,140	166	4,340	-30	5,040	-40
500	4,040	NA	NA	5,630	-28	7,330	-45
WOR10000X (At mouth; HMS contributing area=16.04 sq mi, FIS=16.7 sq mi)							
Return Interval	HEC-HMS	USGS Regression (Lara)	Difference	FIS	Difference	USGS Regression (Eash)	Difference
(yrs)	(cfs)	(cfs)	(%)	(cfs)	(%)	(cfs)	(%)
10	1,680	680	147	3,080	-45	2,650	-37
25	2,340	960	144	NA	NA	3,810	-39
50	2,910	1,120	160	4,710	-38	4,710	-38
100	3,530	1,380	156	5,410	-35	5,690	-38
500	4,720	NA	NA	7,020	-33	8,210	-43



Table 9. FIS Comparison Summary for Unnamed Tributary to Worle Creek

1WT10000J (At mouth; HMS contributing area=2.2 sq mi, FIS=1.98 sq mi.)							
Return Interval	HEC-HMS	USGS Regression (Lara)	Difference	FIS	Difference	USGS Regression (Eash)	Difference
(yrs)	(cfs)	(cfs)	(%)	(cfs)	(%)	(cfs)	(%)
10	520	170	206	NA	NA	1,060	-51
25	700	250	180	NA	NA	1,600	-56
50	860	310	177	NA	NA	2,040	-58
100	1,010	380	166	884	14	2,520	-60
500	1,330	NA	NA	NA	NA	3,820	-65



Table 11. College Creek HEC-HMS 100-Year Summary Table Compared to USGS Regression Equations, Eash (2001), and Lara (1987)

Hydrologic Element	Area (sq mi)	HEC-HMS (cfs)	USGS (Eash) (cfs)	% Delta	USGS (Lara) (cfs)	% Delta	Average Eash and Lara	% Delta
CC-JCT-1	1.81	390	2,300	-83	330	18	1,315	-70
CC-JCT-2	2.12	755	2,460	-69	370	104	1,415	-47
CC-JCT-3	2.18	785	2,490	-68	380	107	1,435	-45
CC-JCT-4	2.59	1,500	2,670	-44	420	257	1,545	-3
CC-JCT-5	2.91	1,770	2,800	-37	450	293	1,625	9
CC-JCT-6	3.23	1,920	2,930	-34	490	292	1,710	12
CC-JCT-7	3.42	2,035	3,000	-32	500	307	1,750	16



Table 12. HEC-HMS 100-Year Summary Table Compared to USGS Regression Equations, Eash (2001), and Lara (1987)

Hydrologic Element	Area (sq mi)	HEC-HMS (cfs)	USGS (Eash) (cfs)	% Delta	USGS (Lara) (cfs)	% Delta	Average Eash and Lara	% Delta
WOR10800J	2.0	710	2400	-70	360	97	1380	-49
WOR10700J	4.4	1460	3320	-56	590	147	1950	-25
WOR10600J	6.2	1950	3840	-49	740	164	2290	-15
WOR10500J	7.6	2260	4180	-46	850	166	2520	-10
WOR10400J	8.1	2310	4280	-46	880	163	2580	-10
WOR10301J	11.6	3010	4990	-40	1120	169	3050	-1
WOR10300J	12.0	3030	5040	-40	1140	166	3090	-2
WOR10200J	13.0	3170	5210	-39	1200	164	3210	-1
WOR10100J	13.6	3200	5310	-40	1240	158	3270	-2
WOR10001J	15.8	3520	5660	-38	1370	157	3510	0
WOR10000X	16.0	3530	5690	-38	1380	156	3540	0



TABLE 13. Summary of Discharges

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq.mi)	10 year	25 year	50 year	100 year	500 year
		(cfs)	(cfs)	(cfs)	(cfs)	(cfs)
College Creek						
At mouth	3.42	760	1,210	1,605	2,035	3,000
Approximately 850 feet downstream of State Avenue	2.91	685	1,080	1,430	1,770	2,520
Approximately 2,400 feet upstream of State Avenue	2.18	325	500	650	785	1,100
At South Dakota Avenue	1.81	160	240	310	390	550
Worle Creek						
At mouth	16.0	1,680	2,340	2,910	3,530	4,720
Just downstream confluence with Worle Creek Tributary 1	15.8	1,670	2,330	2,900	3,520	4,700
At South 16th Street	13.6	1,530	2,130	2,640	3,200	4,260
At Elwood Drive	13.0	1,510	2,100	2,620	3,170	4,210
At US Highway 30	12.0	1,450	2,020	2,510	3,030	4,040
Just downstream confluence with Worle Creek Tributary 2	11.6	1,440	2,010	2,490	3,010	4,010
At 510th Avenue	7.6	1,100	1,520	1,880	2,260	2,990
At 500th Avenue	6.2	950	1,310	1,620	1,950	2,560
Worle Creek Tributary 1						
At mouth	2.2	520	700	860	1,010	1,330
At US Highway 30	2.1	500	680	830	980	1,300
Approximately 1400 feet downstream of Elwood Drive	1.7	390	530	650	780	1,030
At Elwood Drive	0.9	230	310	390	460	610
Worle Creek Tributary 2						
At mouth	3.6	400	550	680	810	1,070
Approximately 0.7 mile upstream of confluence with Worle Creek	3.2	360	490	600	720	950
Approximately 900 feet upstream of 510th Avenue	2.9	320	440	540	650	860




Comparison Maps

http://12.23.244.78/IA_Story_Outreach/


The Light Yellow represents the flood hazard area that is included in both the Effective and Proposed maps

The Light Red represents the flood hazard area that is included in the Proposed but not the Effective Maps

The Light Green represents the flood hazard area that is included in the Effective maps but not the Proposed maps




Flood Study Review (FSR) Meeting Agenda	
Community/Flood Map Project: Story County, Iowa	
Date/Time: July 31, 2012, 2:00 pm CST	Case No.: 11-07-36095
Cooperating Technical Partner: Scott Ralston Iowa Department of Natural Resources	Location of Meeting: Ames City Hall Room 235 515 Clark Ave. Ames, Iowa
Steve Noe and Alicia Williams AMEC Environment and Infrastructure	
Agenda Items	Estimated Time
1. Introduction/Sign-In Sheet	5 minutes
2. Purpose of the FSR Meeting	
3. Overview of DFIRM Update	10 minutes
4. Next Steps in Project and Schedule	15 minutes
5. Overview of the Map Adoption Process	15 minutes
6. Questions and Answers	30 minutes
7. Website link for viewing maps: http://12.23.244.78/IA_Story_Outreach/	
Total Time:	1½ hours



AMEC Flood Study Outreach




- DFIRM
- 100yr Comparison
- FWY Comparison



Legend


- 100yr Comparison
- After
 - Before
 - Both



<input checked="" type="radio"/> Hydrology	<input checked="" type="radio"/> Hydraulics	<input checked="" type="radio"/> Flood Study Review	<input type="radio"/> QR3
Name			
Story Co_FSR_Agenda.pdf			
Story Co_FSR_sign-in sheet.pdf			

FSR Meeting:
7/31/2012


Proposed Preliminary Issuance:
2/12/2013



AMEC Flood Study Outreach



- DFIRM
- 100yr Comparison
- FWY Comparison



Legend

- 100yr Comparison
- After
 - Before
 - Both

- Hydrology
- Hydraulics
- Flood Study Review
- QR3

- Name
- Story Co_FSR_Agenda.pdf
 - Story Co_FSR_sign-in sheet.pdf

FSR Meeting:
7/31/2012

Proposed Preliminary Issuance:
2/12/2013



General Questions?





Break Out Sessions?

That's all Folks!